

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	
	Part No./Ordering No. USBA2M0MICROBCHG-WHR	Rev A

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
A	Initial release		02/05/2020	QA

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

- ISO13485:2003 - Medical Devices Quality Management System Certification
- ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <https://www.globtek.com/iso-certificates/>

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:

Customer P/N:

Quote Number:

Date:

Authorized Representative Name:

Authorized Representative Signature:

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek terms and conditions, which supersede all other agreements, terms, and conditions (<https://en.globtek.com/terms-and-conditions/>).

The purchaser of this product (Customer) agrees that it is their sole responsibility to determine suitability/fitness of the product described in this specification for their application and to take precautions for protection against any hazards attendant to the handling and use of the product.

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	
	Part No./Ordering No. USBA2M0MICROBCHG-WHR	Rev A

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.
Contents of this document are subject to change without prior notice.

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	
Part No./Ordering No. USBA2M0MICROBCHG-WHR		Rev A


CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Cordset Information:
 CordsetColor:GlobTek White
 Cord Length (mm):2000

NOTES:


END A

END B



GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	Part No./Ordering No. USBA2M0MICROBCHG-WHR
		Rev A

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE



GloTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	
	Part No./Ordering No. USBA2M0MICROBCHG-WHR	Rev A

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE



PROPRIETARY INFORMATION

PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC. © GlobTek, Inc.

2017 - 2020

quest /10/31/2020 7:48:48 PM CLONED FROM USBA1M0MICROB(R)

GloTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	
	Part No./Ordering No. USBA2M0MICROBCHG-WHR	Rev A

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

End A Code:USBAM Description:USB A MALE Rating (V):30 Rating (A):3.0 Gender:Male Overmolded:Yes	Cable Code:UL2725-AWG22-WHITE Description:GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: Color:GlobTek White Wire Gauge(AWG):#28/#22 Cond:4+S Type:UL2725 Temperature: Amps:3 Volts:20 OD: ConductorsColors:RED/WHITE/GREEN/BLACK	End B Code:MICBM-5P-3A Description:MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS Rating (V):12 Rating (A):3.0 Gender:Male Overmolded:Yes
--	--	--

Overall cable rating:

Plug Approvals	Cable Approvals	Connector Approvals
-----------------------	------------------------	----------------------------



UL for Power Cords

GloTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: USB A MALE to MICRO B MALE USB, 5PIN, COPPER SHELL NICKEL PLATED, GOLD PLATED 30u CONTACTS, GT Cable #UL2725-AWG22-WHITE: #28/#22 / 4+S Conductors, mm OD, UL2725, Degree, 20V, RED/WHITE/GREEN/BLACK, Approvals: ,2000mm, GlobTek White	
	Model No.	
	Part No./Ordering No. USBA2M0MICROBCHG-WHR	Rev A

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Hanking:
Description:
Image:

Notes/Modifications/Customizations (notes in this section supersede the values shown in the standard spec):