

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black	
	Model No. Power Cord	
Part No./Ordering No. 2084111M8703B(R)		Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

## REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
C	Update all components and descriptions to India standard with BS/ISI approvals; add plug, connector, and overall drawings; correct conductor color code from BRN/BLU to BLK/RED.		03/01/2021	QA
B	Update to latest format		01/13/2021	QA

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification  
ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <https://www.globtek.com/iso-certificates/>

Prop 65 Statement: <https://en.globtek.com/prop-65-statement.pdf>

### Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:

Customer P/N:

Quote Number:

Date:

Authorized Representative Name:

Authorized Representative Signature:

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek terms and conditions, which supersede all other agreements, terms, and conditions (<https://en.globtek.com/terms-and-conditions/>).

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 2084111M8703B(R)	Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

The purchaser of this product (Customer) agrees that it is their sole responsibility to determine suitability/fitness of the product described in this specification for their application and to take precautions for protection against any hazards attendant to the handling and use of the product.

**Footnote:**

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

**Limitation of Use:**

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 2084111M8703B(R)	Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Cordset Information:  
CordsetColor:GlobTek Black  
Cord Length (mm):1800 +/-50


**NOTES:**

Cord, Plug and Connector must be marked with approval symbols of file number(s)


GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black
	Model No. Power Cord
Part No./Ordering No. 2084111M8703B(R)	Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

END A




END B



GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 2084111M8703B(R)	Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

CABLE IMAGE



GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 2084111M8703B(R)	Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

End A Code:205IN Description:IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max Rating (V):250 Rating (A):6.0 Gender:Male Overmolded:Yes	Cable Code:411-INDIA Description:GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694 Color:GlobTek Black Wire Gauge(AWG):0.75 mmsq Cond:2 Type:YY (FLAT) Temperature:70 Amps:10 Volts:300 OD:3.5 ConductorsColors:BLK / RED	End B Code:703-IN Description:IEC320-C7; Rating (V):250 Rating (A):2.5 Gender:Female Overmolded:Yes
--	---	---

Overall cable rating:2.5A / 250V~

#### Plug Approvals



INDIA BIS (cordsets)

#### Cable Approvals



ISI (India Cordset)

#### Connector Approvals

No safety logo required for IEC connectors in India

ISI (IEC connector for India)


GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: IS 1293:2005 Three Prong India (Type D) BIS Plug, 6A max to IEC320-C7;, GT Cable #411-INDIA: 0.75 mmsq / 2 Conductors, 3.5mm OD, YY (FLAT), 70 Degree, 300V, BLK / RED, Approvals: IS 694,1800 +/-50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 2084111M8703B(R)	Rev C

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Hanking: 180

Description: Hanked; 180mm secured with twist tie

Image:



Notes/Modifications/Customizations (notes in this section supersede the values shown in the standard spec):